

INDEX MAPS. **T. 38 N. R. 2 E. 2nd Mer. (Ind. ^a)**

Meanders - 223

	6	5	4	3	2	1
	<i>State Line.</i>					
	7	8	9	10	11	12
206	222	219	216	213	209	204
	222	222	218	216	213	209
206	18	17	16	15	14	13
	221	221	218	215	212	208
205	19	20	21	22	23	24
	220	220	217	214	211	208
205	30	29	28	27	26	25
	219	219	216	214	210	207
205	31	32	33	34	35	36
	201	201	201	202	202	203

T. 29 N. R. 3 E. 2nd Mer. (Ind. ^a)

Meanders - 278

	237	237	237	237	237	237
240	6	5	4	3	2	1
	277	277	267	261	253	246
240	7	8	9	10	11	12
	275	275	266	259	252	245
240	18	17	16	15	14	13
	274	273	265	258	251	244
239	19	20	21	22	23	24
	271	271	264	257	250	242
239	30	29	28	27	26	25
	270	269	262	255	248	241
239	31	32	33	34	35	36
	234	234	234	233	233	233

Ⓢ The figures on the lines refer to the page.

Township N. 38. North of Range N. 2. East 2nd Mer. Indiana. 201

South Boundary.

East On South Boundary of Sec 31. Var. 5.50.
 24. 25. A W Oak 22 in. diam.
 40. 00 Set a q. Sec post from which a
 W. Oak 8 in. diam. bears N. 52. W. 21. links dist. and a
 " Do. 20. " " " N. 8. E. 4 " "
 67. 35. A W. Oak 27 in. diam.
 80 00 Set a Post Cor. to Sec. 31. & 32. from which a
 W. Oak 18 in. diam. bears N. 70 p. W. 107. links dist. and a
 Spruce Oak 20. " " " N. 85. E. 84 " "
 Land Rolling, & 2nd rate. Timber Oak. No Undergrowth.

East On South Boundary of Sec 32.
 11. 44. A B. Oak 27 in. diam.
 32 84. A B. Oak 27. " "
 40. 00 Set a q. Sec post from which a
 B. Oak 14 in. diam. bears N. 15 p. W. 27. links dist. & a
 Do 23. " " " N. 24 p. E. 25. " "
 58. 10 A B. Oak 18 in. diam.
 50 00 Set a Post Cor. to Sec. 32. & 33. from which a
 W. Oak 16 in. diam. bears N. 83. W. 90 links dist. & a
 Do 10 " " " N. 71. E. 110. " "
 Land level & 3rd rate. Timber Oak. open woods.

East On South Boundary of Sec 33.
 18. 54. A Burr Oak 34 in. diam.
 40. 00 Set a q. Sec post from which a
 Hickory 3 in. diam. bears N. 11. W. 50 links dist. & a
 W. Oak 22. " " " N. 87. E. 143. " "
 41. 93. A Wagon Road Cor. N. E.
 48. 98 A B. Oak 19 in. diam.
 68. 18. A W. Oak 30. " "
 80 00 Set a Post Cor. to Sec. 33. & 34. from which a
 Burr Oak 16 in. diam. bears N. 56 p. W. 10 links dist. & a
 Do. Do 15 " " " N. 60. E. 60. " "
 Land level & 2nd rate. Timber. B. & W. Oak.

T. 38. N. R. 2. E. 2nd Mer. Indiana

East	On South Boundary of Sec. 34.
11. 13.	Waggon Road. Cr. South East.
22. 72.	A B. Oak 12 in. diam.
40. 00	Set a q ^d Sec post from which a Hickory 5 in. diam. bears N 57. W. 20. links dist. &c. W. Oak 18. " " " N. 64. E. 7. " "
57. 45	A B. Oak 18 in. diam.
57. 42.	A Nail. Cr. S. E.
59. 79.	A B. Oak 6 in. diam.
80. 00	Set a Post Cor. to Sec. 34. & 35. from which a Hickory 9 in. diam. bears N 58. W. 57. links dist. &c. Do. 11. " " " N. 16. E. 54. " " Land & Timber. same as before.
East	On South Boundary of Sec. 35.
1. 35.	A Stream 13 links wide. Cr. N. W.
18. 35.	A B. Oak 18 in. diam.
20. 00.	A Road. Cr. N. W.
22. 00	Enter Wet Prairie.
35. 75.	Leave it.
35. 97	A W. Oak 5 in. diam.
40. 00	Set a q ^d Sec post from which a Burr Oak 14 in. diam. bears N. 63. W. 18. links dist. &c. Do. Do. 13. " " " N. 72. E. 125. " "
44. 00	Set a Post on the West Bank of the Big St. Joseph. Cr. N. from which a Burr Oak 12 in. diam. bears S. 34. W. 80. links dist. &c. Jack Oak 10. " " " N. 30. E. 27. " "
48. 74	Set a Post on the East Bank. Over the River by trigonometry. from which a B. Walnut 7 in. diam. bears S 31. E. 45. links dist. and a Burr Oak 20. " " " N. 36. E. 144. " "
54. 36.	A Lynn 10. " "
80. 00	Set a Post Cor. to Sec. 35. & 36. from which a Hickory 3 in. diam. bears N. 88. W. 50. links dist. &c. W. Oak 30. " " " N. 64. E. 63. " "

Land West of the River. 2nd rate. Timber Oak.

No Undergrowth. Prairie met. East of the River. Land swampy,
Timber. Swamp Ark. & Lynn. Undergrowth. Hard & Softwoods.

- East On South Boundary of the 30.
9. 00 Road. Cr. N. W.
14. 34. A B. Oak 15. in. diam.
40. 00 Set a 4th Sec. post from which a
W. Oak 10. in. diam. bears N. 70. W. 50. links dist. 8.
S. p. Oak 21. " " " N. 10. W. 34. " "
50. 10. A W. Oak 15. " "
74. 11. A Trail Cr. North.
80. 00 Set a Post Cor. to Towns 37. & 38. Hanger. 2. & 3. Sec. 1. & 34. & 35.
from which a
W. Oak 12. in. diam. bears N. 74. W. 31. links dist. 8.
B. Oak 22. " " " N. 34. E. 48. " "
Land Rolling & 3rd rate. Timber. Oak. May 10. 1829.

East Boundary.

- North On East Boundary of the 30. var 5.50 E.
4. 25. A Road Cr. N. E.
28. 00. A B. Oak 18. in. diam.
40. 00 Set a 4th Sec. post from which a
W. Oak 18. in. diam. bears S. 25. W. 18. links dist. 8.
" Do. 20. " " " N. 64. W. 33. " "
56. 75. A W. Oak 18. in. diam.
63. 00 Take about 10 chains. to the West. 20. Ch. wide. and about
40. chains in length.
77. 18. A B. Oak 4. in. diam.
80. 00 Set a Post Cor. to Twp. 25. & 36. from which a
W. Oak 36. in. diam. bears S. 28. W. 50. links dist. 8.
" Do. 20. " " " N. 52. W. 71. " "
Land 3rd rate. Timber. Oak. no Undergrowth.

- North On East Boundary of the 25.
0. 00 A Wagon Road. Cr. N. E.

- 40.00 Set a 9th Sec. post. from which a
B. Oak 22 in. diam. bears S. 28. W. 83. links dist. 8 a.
" Do. 24 " " " N. 39. W. 20. " "
- 42.65. A B. Oak 21. " "
- 50.00 Enter Wet Prairie.
- 54.84. A Stream 17 links wide. Cor. N. W.
- 58.25. Leave Prairie at a W. Oak 24 in. diam.
- 80.00 Set a post Cor. to Sec. 24. & 25. from which a
Hickory 8 in. diam. bears S. 25. W. 24 links dist. 8 a.
W. Oak 30. " " " N. 74. W. 83. " "
Land as before thinly timbered with Oak.

- North On East Boundary of Sec. 24.
- 24.00 A W. Oak 22 in. diam.
- 40.70 Set a 9th Sec. post from which a
B. Oak 24 in. diam. bears N. 75. W. 46. links dist. 8 a.
" Do. " " " " S. 77. W. 84. " "
- 68.65. A B. Oak 24 in. diam.
- 80.00 Set a Post Cor. to Sec. 13. & 24. from which a
B. Oak 15 in. diam. bears S. 21. W. 53. links dist. 8 a.
" Do. 14. " " " " S. 87. W. 29. " "
Land & Timber same as before.

- North On East Boundary of Sec. 13
- 13.54. A W. Oak 15 in. diam.
- 22.00 To Wet Prairie.
- 40.00 Set a 9th Sec. post in wet Prairie. from which a
Jack Oak 12 in. diam. bears S. 1. E. 5. 14 links dist.
No other tree.
- 80.00 Set a Post Cor. to Sec. 12 & 13 in Prairie. from which a
and raised a mound.
Land except Prairie. same as before.

- North On East Boundary of Sec. 12.
- 13.00 Leave wet Prairie.
- 21.50 A W. Oak 30 in. diam.

- 115 00 Set a $\frac{1}{4}$ Sec post from which a
 B. Oak 18 in. diam. bears S. 114. W. 39. links dist. and a
 " Do. 20. " " " N. 33. W. 05. " "
 110. 63. Intersect the North Boundary & Set a Post. from which a
 B. Oak 13 in. diam. bears S. 80. W. 27. links dist. & a
 " Do. 13. " " " " 83 $\frac{1}{2}$ E. 27. " "
 From this Intersection to the 30th mile. post on Boundary,
 the dist. is 37. chains.
 Land as before

West Boundary sec. 5. 50. E.

- North On East Boundary of Sec. 30. T. 38. N. R. 1. E.
 55. 63. A W. Oak 30 in. diam.
 115. 10 Set a $\frac{1}{4}$ Sec post from which a
 W. Oak 17 in. diam. bears S. 80. W. 52 links dist. & a
 " Do. 17. " " " " N. 58 W. 60. " "
 55. 79. A W. Oak 24 in. diam.
 79 05. A B Oak 22. " "
 80 00 Set a Post Cor to Sec. 25. & 30. from which a
 B. Oak 24 in. diam. bears S. 14. W. 58. links dist. & a
 " Do. 22. " " " " A. 21. W. 10. " "
 Land broken & 3rd rate. Timber Oak. No Undergrowth.

- North On East Boundary of Sec. 25. T. 38. N. R. 1. E.
 24. 50. A Hickory 10 in. diam.
 31. 96. A Trail. Cor. S. W.
 32. 75. A Burr Oak 20 in. diam.
 40 00 Set a $\frac{1}{4}$ Sec post from which a
 Burr Oak 15 in. diam. bears S. 24. W. 129. links dist. & a
 Do. Do. 18. " " " " N. 77 $\frac{1}{2}$ W. 40. " "
 70. 09 A Hickory 10 in. diam.
 80. 00 Set a Post Cor to Sec. 24 & 25. from which a
 Hickory 10 in. diam. bears S. 42. W. 50. links dist. and a
 W. Oak 14. " " " " N. 31. W. 57. " "
 Land &c. same as last mile. May 15th 1829.

North On East Boundary of Sec. 24 T. 38. N. R. 2. E.

4. 50 Enter dry Prairie

40. 00 Set a 1st Sec. Post in Prairie

40. 00 Leave the Prairie.

80. 00 Set a Post Cor to Sec. 13. & 24. from which a

Burr Oak 18. in. diam. bears S. 47. W. 81. links dist. 8 a

Do. Do. — " " " N. 56. W. 72. " "

Lands Broken & 3rd rate. Scattering Oak Timber.

North On East Boundary of Sec. 13. T. 38. N. R. 2. E.

24. 84 A Burr Oak 20. in. diam.

40. 00 Set a 1st Sec. post from which a

Burr Oak 10. in. diam. bears S. 43. W. 1. 81. links dist. 8 a

" Do. 17. " " " N. 23. W. 170. " "

59. 90 A Hickory 18. " "

80. 00 Set a Post Cor. to Sec. 12. 113. from which a

Hickory 32. in. diam. bears S. 57. W. 2. 19. links dist. 8 a

Do. 16. " " " N. 29. W. 132. " "

Lands a 1st rate Burr Oak. flat.

North On East Boundary of Sec. 12 T. 38. N. R. 2. E.

37. 18 A Hickory 7. in. diam.

40. 00 Set a 1st Sec. post from which a

B. Oak 18. in. diam. bears S. 9. W. 52. links dist. 8 a

Hickory 12. " " " N. 84. W. 111. " "

47 37 Set a Post on the North Boundary. from which a

B. Oak 23. in. diam. bears S. 34. W. 45. links dist. 8 a

Hickory 15. " " " S. 64. W. 30. " "

From this Post East to the 25th mile. Cor. the dist. is
35. chains & 32. links.

Surveyed by

David Willis D. S.

Subdivisions.

North Between Sec. 35. & 36.

20 00 A W. Oak 10. in. diam.

- 41 00 Set a $\frac{1}{4}$ Sec. post from which a
Y. Oak 15. in. diam. bears N. 38. W. 58. links dist. & a
W Oak 18. " " " N. 57. E. 77. " "
41. 04. A Y. Oak 16. in. diam. Meander Post on the Bend of St. Joseph.
- 52 57. Grave Bend of River, and set a Post from which a
Y. Oak 6. in. diam. bears N. 87. W. 11. links dist. and a
Do. 11. " " " S. 83 $\frac{1}{2}$ E. 8. " "
60. 40. A Brook 8. links wide. Cr. M.
- 65 40. A Y. Oak 6. in. diam.
- 80 00 Set a Post Cor. to Secs. 25. 26. 35. & 36. from which a
Y. Oak 11. in. diam. bears S. 82 $\frac{1}{2}$ W. 27. links dist. & a
" Do 11 " " " N. 27. E. 40. " "
- Land gently Rolling good Barren Timber. W. Y. R. Oak
and Hickory.

- East On a Random between Secs. 25. & 36.
45. 00 Set a Hemp $\frac{1}{4}$ Sec. post.
- 80 00 Intersect the East Boundary 58. links North of the Post.
Land &c. same.

- West Connected between Secs. 25. & 36.
45. 02 $\frac{1}{2}$ Set a $\frac{1}{4}$ Sec. post at aver. dist. from which a
Peppercorn 13. in. diam. bears N. 72. W. 10. links dist. and a
Red Oak 7. " " " N. 10. E. 10. " "
- 80 00 To Sec. Corner.

- North Between Secs. 25. & 26.
21. 24. A Y. Oak 25. in. diam.
- 40 00 Set a $\frac{1}{4}$ Sec. post from which a
Hickory 8. in. diam. bears S. 16 $\frac{1}{2}$ E. 40. links dist. & a
Do 4. " " " N. 17 $\frac{1}{2}$ W. 68. " "
- 55 57. A Y. Oak 15. " "
- 80 00 Set a Post Cor. to Secs. 23. 24. 25. & 26. from which a
W. Oak 12. in. diam. bears S. 41. W. 49. links dist. & a
Do 13. " " " N. 41 E. 24. " "
- Land & Timber same as last mile.

East On a Random between Sec. 24. & 25.
 12 70 A Spruce 12 links wide. Cor. N. E.
 40. 00 Set a Temp. 1/4 the post.
 80. 77 Intersect the East Boundary 35 links North of the Post.
 Land &c. same as last mile.

West Connected between Sec. 24. & 25.
 40. 38 1/2 Set a q. Sec. post from which a
 Y. Oak 15. in. diam. bears N. 49. W. 58. links dist. and a
 " Spr. 20. " " " S. 63. E. 47. " "
 80. 77 To Sec. Corner.

North Between Sec. 23. & 24.
 5. 28 A Spruce 10 links wide. Cor. West.
 21. 27 A Y. Oak 15. in. diam.
 40. 00 Set a q. Sec. post from which a
 Y. Oak 18. in. diam. bears S. 48. E. 18. links dist. & a
 Hickory 3 " " " N. 77. W. 20. " "
 72. 90 A Hickory 15. in. diam.
 80. 00 Set a Post Cor. to Sec. 13. 14. 23. & 24. from which a
 Y. Oak 5. in. diam. bears S. 57. E. 32. links dist. and a
 Hickory 10. " " " N. 20. W. 50. " "
 Land here & and rich; Timber same.

East On a Random between Sec. 13. & 24.
 40. 00 Set a Temp. q. Sec. post.
 80. 74 Intersect E. Boundary 9. links North of the Post.
 Land &c. same as last mile.

West Connected between Sec. 13. & 24.
 40. 37 Set q. Sec. post from which a
 Y. Oak 18. in. diam. bears N. 20. W. 54. links dist. and a
 Y. Oak 11. " " " N. 89. E. 33. " "
 80. 70 To Sec. Corner.

North Between Sec. 13. & 14.

Compt.

T 38. N. R. 2. E. 2nd Mer Indiana.

- North Between Sec. 34 & 35.
 17. 15. A W. Oak 11. in. diam.
 40. 00 Set a $\frac{1}{4}$ Sec. post from which a
 W. Oak 8. in. diam. bears S. 52 W. 10. links dist. and a
 Y. Oak 16. " " " N. 52 $\frac{1}{2}$ W. 34. " "
 51. 00. A Burr Oak 22. in. diam.
 80. 00 Set a Post Cor. to Sec. 26. 27. 34 & 35. from which a
 W. Oak 15. in. diam. bears S. 32 W. 51. links dist. & a
 " Do. 15. " " " N. 26 $\frac{1}{2}$ E. 78 " "
 Land level & 1st rate. Timber. Burr, W. & Y. Oak.
 Hickory. &c.

- East On a Meander between Sec. 26. & 35.
 21. 80 To St. Josephs. 500 links wide. Cor. North.
 27. 80 Eare. "
 40. 00 Set a temp. $\frac{1}{4}$ Sec. post.
 79. 65 Intersect E. Boundary or N. & E. line 14 links N. of the Post.
 Land &c. same as last mile.

- West Corrected between Sec. 26. & 35.
 39. 82 $\frac{1}{2}$ Set up Sec. post at aver dist. from which a
 Lymn 5. in. diam. bears S. 74 E. 9. links dist. & a
 Elm 7. " " " N. 13 $\frac{1}{2}$ E. 17. " "
 51. 85. To St. Josephs and set Meander Post. from which an
 Elm 10. in. diam. bears S. 72 $\frac{1}{2}$ E. 14. links dist. & a
 Sycamore 10. in. " " N. 11 E. 27. " "
 57. 85. Eare St. Josephs. & set a Post. from which a
 Y. Oak 11. in. diam. bears N. 10 $\frac{1}{2}$ E. 40. links dist. & a
 W. Do. 18. " " " S. 10 E. 33. " "
 79. 65. To Sec. Corner.

- North Between Sec. 26. & 27.
 18. 50 A Red Oak 8. in. diam.
 22. 80 To St. Josephs 390 links wide. Cor. W. set Meander
 Post. from which a
 Maple 7. in. diam. bears S. 76 $\frac{1}{2}$ W. 145. links dist. & a

- Lynn 12 in. diam. bears N. 52 1/2 E. 30 links dist.
- 26.70 Leave St. Josephs. where a Cedar 15. in. diam. is
Meander Post.
- 30.15 To St. Josephs 5.07. links wide. Cor. N. E.
Set a Meander Post from which a
Hickory 8. in. diam. bears S. 2 1/4 N. 57. links dist. and a
Burr Oak 9. " " " S. 52 1/2 E. 34. " "
- 40.00 Set 1/4 Sec Post in River.
- 41.35 Leave the River and set a Meander Post, from which a
H. Oak 10. in. diam. bears S. 84 E. 10. links dist. & a
W. Oak 7. " " " N. 75 W. 10. " "
- 57.55 A Burr Oak 8. in. diam.
- 80.00 Set a Post Cor. to Sec. 22. 23. 26. & 27. from which a
W. Oak 16. in. diam. bears S. 59 E. 16. links dist. & a
Do 20. " " " N. 85 W. 9. " "
Land & Timber same.

-
- Close On Random between Sec. 23. & 26.
- 21.50 A Birch 8. links wide. Cor. N. E. (Spring)
- 27.71 To St. Josephs 5.93. links wide. Cor. N. of St.
- 33.84 Leave the River.
- 46.00 Set Temp. 1/4 Sec. Post,
- 80.00 Intersect N. & P. line 2 links N. of the Post.
Land good Barrens. Timber. W. H. & B. Oak.

-
- West Corrected between Sec. 23. & 26.
- 46.00 Set a 1/4 Sec. post on true line. from which a
W. Oak 28. in. diam. bears S. 53 E. 48. links dist. & a
Do 10. " " " N. 59 W. 25. " "
- 46.56 To St. Josephs and set a Post from which a
H. Oak 14. in. diam. bears N. 4. W. 12. links dist. & a
Do 30. " " " S. 3. E. 28. " "
- 52.29 Leave River & set a Post. from which a
Sycamore 18. in. diam. bears N. 60 W. 31. links dist. & a
- 80.00 To Sec. Corner.
-

T. 38. N. R. 2. E. 2nd Mer Indiana

North Between Sec 22 & 23.

17.70 A Hickory 8 in. diam.

10.00 Set a $\frac{1}{4}$ Sec Post from which a

Y. Oak 18 in. diam. bears S. 42 $\frac{1}{2}$ W. 25 links dist. 8 a

W. Oak 10. " " " N. 42 $\frac{1}{2}$ E. 17. " "

57.58 A Y. Oak 14. " "

80.00 Set a Post Cor. to Sec. 14. 15. 22 & 23. from which a

W. Oak 25 in. diam. bears N. 35 $\frac{1}{2}$ W. 28 links dist. 8 a

Y. Oak 9. " " " S. 34 $\frac{1}{2}$ W. 32 " "

Land & Timber same as last mile.

East On Random between Sec. 14 & 23.

2 62. To St. Josephs 5. 61 links wide. Cor. North.

A Y. Oak 10 in. diam. is Meander Post.

8. 23. Leave the River.

10.00 Set Temp. $\frac{1}{4}$ Sec Post.

50 02. Intersect the N. & S. line 5 links North of the Post.

Land &c. same as last mile.

West Corrected between Sec. 14 & 23.

40 01 Set up Sec Post at aver. dist. from which a

W. Oak 20 in. diam. bears N. 55 $\frac{1}{2}$ W. 57 links dist. 8 a

" Do 12 " " " N. 80 $\frac{1}{2}$ E. 143. " "

71.77. To River. & set Meander Post. from which a

Syc. 9 in. diam. bears S. 78 $\frac{1}{2}$ W. 8 links dist. 8 a

Do 8. " " " N. 59 $\frac{1}{2}$ W. 10. " "

77.40 Leave River at a Y. Oak 10 in. diam.

80.02 To Sec. Corner.

North Between Sec. 14 & 15.

22 45. A Y. Oak 12 in. diam.

31.00 A Spring Brook 4 links wide. Cor. E.

40 00 Set a $\frac{1}{4}$ Sec Post from which a

W. Oak 24 in. diam. bears N. 40 $\frac{1}{2}$ W. 23 links dist. 8 a

Hickory 6. " " " S. 47 $\frac{1}{2}$ E. 31. " "

57.10 A Y. Oak 12. " "

80 00 Set a Post Cor. to Sec. 10 N. 14. 45. from which a
 Y. Oak 14 in. diam. bears N. 52 E. 24 links dist. & a
 " Do 13. " " " S. 50 E. 48. " "
 Land & Timber same as last mile.

East On a Random between Sec. 14 N.
 9. 48. To St. Joseph 5. 52. links wide Cor. North.
 A W. Oak 13 in. diam. is Meander Post.
 14. 80 Leave the River
 40 00 Set Temp. $\frac{1}{4}$ the post.
 48. 00 Enter net Prairie
 80. 08. Intersect the N. & T. line 1 link South of the Post.
 Land good.

West Corrected between Sec. 11. & 14.
 40 04. Set a $\frac{1}{4}$ the post at aver. dist. from which a
 W. Oak 15 in. diam. bears N. 85 E. 54 links dist. & a
 W. Oak 22. " " " S. 43 $\frac{1}{2}$ E. 57. " "
 65. 20 To St. Joseph, and set a Meander Post. from which a
 W. Oak 7 in. diam. bears N. 6 E. 27 links dist. & a
 Cedar 15. " " " S. 60 W. 13. " "
 70. 60. Leave the river. at a W. Oak 13 in. diam.
 80. 08 To Sec. Corner.

North Between Sec. 10 N.
 16. 19. A Y. Oak 22 in. diam.
 40 00. Set a $\frac{1}{4}$ Sec. post from which a
 Y. Oak 12 in. diam. bears N. 48. W. 110 links dist. & a
 W. Oak 10. " " " N. 60 E. 88. " "
 45. 42. Intersect the State Line. 225 links West of a W. Oak
 Station 24 in. diam. (The 1st station West of St. Joseph
 River. Set a Post Cor. to Sec. 10 & 11. from which a
 W. Oak 30 in. diam. bears S. 81 E. 41 links dist. & a
 " Do 24. " " " S. 75 W. 162. " "
 Land & Timber same as last mile.
 Tuesday evening June 23rd 1829.

T 38. N. R. 2. E. 3rd Mer. Indianas

North Between Secs. 33. & 34.
 2. 67. A Burr Oak 10 in. diam.
 5. 00 Enter. Passage (dry) Prairie.
 110. 00 Set a $\frac{1}{4}$ Sec. post. and raised a Mound. 2 ft wide at
 Base. & 2 ft. high.
 80. 00 Set a Post Cor. to Secs. 27. 28. 33. & 34. Raised a Mound.
 Sand rich. Rolling dry Prairie.

East On a Random between Secs. 37. & 34.
 11. 00 Set a Temp^l $\frac{1}{4}$ Sec. post.
 50. 00 Leave Prairie.
 79. 50. Intersect the N. & S. line 12 links North of the Post.
 Sand, since Prairie. Rolling & 1st rate. Timber. Burr.
 Oak. Y. Oak. W. Oak. & Hickory

West Corrected between Secs. 27. & 34.
 39. 80. Set $\frac{1}{4}$ Sec. post at aver. dist. from which a
 Burr Oak 12 in. diam. bears N. 89 $\frac{1}{2}$ E. 11. 60 links dist.
 No other tree near.
 79. 60 $\frac{1}{4}$ Sec. Corner.

North Between Secs. 27. & 28.
 40. 00 Set a $\frac{1}{4}$ Sec. post. and raised a Mound.
 64. 85. A Burr Oak 14 in. diam. & Leave Prairie.
 80. 00 Set a Post Cor. to Secs. 21. 22. 27. & 28. from which a
 W. Oak 15 in. diam. bears N. 48 $\frac{1}{2}$ E. 57 links dist. & a
 Y. Oak 9. " " " S. 84 W. 33. " "
 Land rolling & 1st rate. Timber. W. Y. & R. Oak. &c.

East On a Random between Secs. 22. & 27.
 40. 00 Set a Temp^l $\frac{1}{4}$ Sec. Post.
 79. 92 Intersect the N. & S. line 14 links North of the Post.
 Land rolling & 1st rate timber. W. Y. & R. Oak.

West Corrected between Secs. 22. & 27.
 39. 90. Set $\frac{1}{4}$ Sec. post at aver. dist. from which a

Burr Oak 10 in. diam. bears S. 72. E. 38 links dist. &
 a G. Do. 10. " " " S. 57. W. 38. " "
 79.92 To Sec. Corner.

North Between Sec. 21. & 22.
 14.41 A Hickory 9 in. diam.
 15.00 Set a 1/2 Sec. post from which a
 W. Oak 15 in. diam. bears N. 68. E. 15 links dist. &
 " Do 9. " " " N. 1. W. 47. " "
 29.90 A W. Oak 10 in. diam.
 30.00 Set a post Cor. to Sec. 15. 10. 21. & 22. from which a
 W. Oak 10 in. diam. bears S. 80 1/2. W. 12 links dist. &
 G. Do. 9. " " " S. 14. E. 48. " "
 Land & Timber same as last mile.

East On Random between Sec. 15. & 22.
 10.00 Set Temp. 1/2 Sec. post.
 79.81 Intersect the N. & E. line 9 links North of the Post.
 Land & Timber same.

West Corrected between Sec. 15. & 22.
 39.90 1/2 Set a 1/2 Sec. post at aver. dist. from which a
 Hickory 10 in. diam. bears S. 8 1/2. E. 21 links dist. &
 W. Oak 10. " " " N. 71. W. 95. " "
 79.81 To Sec. Corner.

North Between Sec. 15. & 10.
 25.75 A W. Oak 20 in. diam.
 40.00 Set a 1/2 Sec. post from which a
 W. Oak 15 in. diam. bears N. 15. W. 19 links dist. &
 " Do. 11. " " " S. 41. W. 42. " "
 75.10 A W. Oak 10 in. diam.
 80.00 Set a Post Cor. to Sec. 9. 10. 15. 10. from which a
 W. Oak 25 in. diam. bears S. 8. W. 40 links dist. &
 W. Oak 10. " " " N. 29 1/2. E. 0. " "
 Land &c. same as last mile.

T 38. N. R. 2. E. 2nd Mer. Indiana

East On a Random between Sec. 10. & 15.
 40.00 Set a Temp^o 1/4 Sec. post.
 80.00 Intersect the N. & E. line 10 links S. of the Post.
 Land very rolling, but rich. Timber same.

West Corrected between Sec. 10. & 15.
 40.00 Set a 1/4 Sec. post from which a
 Y. Oak 13. in. diam. bears S. 2 1/2. W. 31. links dist. and a
 Do. 12. " " " N. 82 1/2. W. 32. " "
 80.00 To Sec. Corner.

North Between Sec. 9. & 10.
 37. 59. A Y. Oak 26. in. diam.
 40.00 Set a 1/4 Sec. post from which a
 Y. Oak 18. in. diam. bears N. 45 1/2. W. 58. links dist. & a
 W. Oak 40. " " " N. 11. E. 7 1/2. " "
 47. 30. Intersect State line on the 28th mile from Lake Michigan
 1. 37. links West of a W. Oak Station 20. in. diam.
 Set a Post Cor. to Sec. 9. & 10. from which a
 Y. Oak 11. in. diam. bears S. 57 1/2. E. 48. links dist. & a
 " Do 16. " " " S. 56 1/2. W. 69. " "
 Land &c. same. Wednesday evening June 4th 1829.

North Between Sec. 2. & 3.
 23. 48. A Y. Oak 11. in. diam.
 39. 00 Enter dry Prairie
 40. 00 Set a 1/4 Sec. post from which a
 Burr Oak 16. in. diam. bears S. 42. W. 92. links dist. & a
 Do. Do 16. " " " S. 11. E. 97. " "
 80. 00 Set a Post Cor. to Sec. 28. 29. 32. & 33. & raised a mound.
 Land 1st rate. 3. 1/2 mile. good Barrens. North 1/2 dry
 Rolling Prairie.

East On a Random between Sec. 28. & 33.
 40.00 Set a Temp^o 1/4 Sec. post.
 80.00 Intersect the N. & E. line at Post.

T. 38. N. 2. E. 2nd Sec. Indiana. 217

Lands, rolling rich, dry Prairie

West Corrected between Sec. 28. & 29.
40.00 Set up Sec post. on true line. & raised a mound.
80.00 To Sec. Corner.

North Between Sec. 28. & 29.
32.42 A Burr Oak 9. in. diam.
40.00 Set a gp Sec post. from which a
Burr Oak 9. in. diam. bears S. 74. W. 94. links disty & a
Do. Do. 16. " " " North 1. 30. " "
80.00 Set a Post Cor. to Sec. 20. 21. 28. & 29. and raised a
Mound. or. (Negro-Head!)

East On a Ransom between Sec. 21. & 28.
18.00 Grass dry Prairie.
40.00 Extra Temp. 1/4 Sec post.
79.88 Intersect the N. & E. line 38. links South of the Post.
Land & Timber as before.

West Corrected between Sec. 21. & 28.
39.94. Set a gp Sec post on true line as over. disty. from which a
Burr Oak 10. in. diam. bears N. 28 1/2. W. 19. links disty & a
" Do. 9. " " " S. 91 1/2. E. 9. " "
79.88 To Sec. Corner.

North Between Sec. 20. & 21.
25.50 Grass dry Prairie.
No Station trees.
40.00 Set a 1/4 Sec post. from which a
W. Oak 18. in. diam. bears S. 10 1/2. E. 43. links disty & a
B. Oak 14. " " " N. 32. W. 1. 10. " "
54.80 A Burr Oak 10. in. diam.
69.50 Enter Prairie.
80.00 Set a Post Cor. to Sec. 10. 17. 20. & 21. from which a
Burr Oak 10. in. diam. bears. S. 1/2. W. 40. 94. links disty & a

T38 N. P. 2. E. 2nd Mer. Indians.

O. Oak 24. in. diam. bears S. 49. E. M. 10. links dist.
Land, nearly all dry Prairie.

East On a Bandem between Sec. 16. & 21.
20. 50. Same dry Prairie.
40. 00 Set a Temp. $\frac{1}{4}$ Sec. post.
79. 99. Intersect the N. & S. line 12. links South of the Post.
Land, rolling rich Barrens. Except the Prairie, which
is 1st rate. Timber all the same in this Town, so far.

West Corrected between Sec. 10. & 21.
69. 99. Set a 9th Sec. post at aver. dist. from which a
Hickory 5 in. diam. bears S. 80. E. 82. links dist. &
O. Oak. 20 " " " S. 71. W. 61. " "
79 99. To Sec. Corner.

North Between Sec. 10. & 17.
40. 00 Set a 9th Sec. post. and raised a Mound.
80. 00 Set a Post Cor. to Sec. 8. 9. 10. & 17. and. Raised a Mound.
Land Level dry Prairie.
P. S. This is called "Portage Prairie," as the carrying
place from the St. Joseph. To Handakee goes this through.

East On Bandem between Sec. 9. & 10.
40. 00 Set a Temp. $\frac{1}{4}$ Sec. post.
45. 00 Same dry Prairie.
50. 05 Intersect the N. & S. line 31. links N. of the Post.
West $\frac{1}{2}$ mile. Prairie. East $\frac{1}{2}$ rich Barrens. Timber,
W. Y. B. & Burr Oak, Hickory, &c.

West Corrected between Sec. 9. & 10.
40 02. Set a 9th Sec. post at aver. dist. from which a
Burr Oak 12. in. diam. bears S. 12. E. 128. links dist. &
O. B. 18. " " " N. 14. E. 116. " "
80. 05. To Sec. Corner.

North Between Sec. 8. & 9.

40.00 Set a $\frac{1}{4}$ Sec. post and raised a Mound.

47.47 Intersect the State line 17.41 links West of a Burr Oak Station 10. in. diam. The 1st on East of Prairie on the 27th mile, from Lake Michigan.

Raised a Mound around the Post. \$18.29.

Land, dry rich Prairie. Thursday evening. June 25.

North Between Sec. 31. & 32.

37.54 A Burr Oak 14. in. diam.

45.00 Set a $\frac{1}{4}$ Sec. post from which a Burr Oak 9. in. diam. bears N. 21. W. 13. links dist. & a
Do. Do. 11. " " " N. 79. E. 66. " "

52.09 A Burr Oak 9. in. diam.

80.00 Set a Post Cor. to Sec. 29. 30. 31. & 32. from which a W. Oak 14. in. diam. bears S. 87 $\frac{1}{2}$ W. 7. links dist. & a
Do. 7. " " " S. 57 $\frac{1}{2}$ E. 25. " "

Land rolling & rich Barrens. Timber W. Y. & Burr Oak Hickory.

East On a Boundum between Sec. 29. & 32.

16.00 Enter dry Prairie.

40.00 Set a $\frac{1}{4}$ Sec. post.

80.00 Intersect the N. & E. line at Post.
Land rolling, dry Rich Prairie.

West Connected between Sec. 29. & 32.

40.00 Set a $\frac{1}{4}$ Sec. post at base on true line. from which a

Burr Oak 24. in. diam. bears N. 16. E. 7. 7 $\frac{1}{2}$ links dist.

80.00 To Sec. Corner.

West Between Sec. 30. & 31.

19.07 A Hickory 18. in. diam.

40.00 Set a $\frac{1}{4}$ Sec. post. from which a

W. Oak 18. in. diam. bears S. 1. W. 20. links dist. & a

B^r Oak 9. " " " N. 55. W. 28. " "

65.77 A Hickory 15 in. diam.
 77.73 Intersect the West Boundary 30 links North of Post.
 Set a Post Cor. to Sec. 30. & 31. from which a
 Hickory 10 in. diam. bears S. 41. E. 10. links dist. 8 a
 B Oak 22. " " " N. 4. E. 21. " "
 Land rolling rich Barrens. Timber same.

North Between Sec. 29. & 30.
 17.35 A W. Oak 15 in. diam.
 40.00 Set a 1/4 Sec post. from which a
 Burr Oak 12 in. diam. bears S. 1/2. E. 1.89 links dist.
 No other tree near.
 63.74 A Burr Oak 10 in. diam.
 80.01 Set a Post Cor. to Sec. 19. 20. 29. & 30. from which a
 Y. Oak 14 in. diam. bears S. 69. E. 43. links dist. 8 a
 W. Oak 8. " " " South 71. " "
 Land rolling & rich. Timber, as before.

East On a Rangeon between Sec. 20. & 29.
 20.00 Enter Prairie
 40.00 Set a Temp^o 1/4 Sec post.
 80.03 Intersect the N. & S. line 2 links South of the Post.
 Timbered Land & Prairie as before.

West Connected between Sec. 20. & 29.
 40.01 Set up Sec post at aver dist and raised a Mound.
 80.03 To Sec. Corner.

West Between Sec. 19. & 30.
 18.13 A Burr Oak 10 in. diam.
 40.00 Set a 1/4 Sec post. from which a
 Burr Oak 18 in. diam. bears N. 70. E. 98. links dist. 8 a
 Gr. O. 10. " " " S. 20. E. 1.53. " "
 60.32 A W. Oak 7. " "
 76.65 Intersect the West Boundary 5 links North of the Post.
 Set a Post Cor. to Sec. 19. & 30. from which a

W. Oak 10. in. diam. bears N. 81. E. 1. 30. links dist. &
 Hickory 24. " " " S. 87 1/2. E. 1. 27. " "
 Land & Timber same as last mile.

North Between Secs. 19. & 20.
 13. 14. A W. Oak 15. in. diam.
 40. 50 Set a q^r Sec. post in Edge of Prairie & Enter it. from which
 a Burr Oak 14. in. diam. bears S. 1 1/2 N. 104. links dist. &
 To " 18. " " " N. 30. W. 87. " "
 80. 00 Set a Post Cor. to Secs. 17. 18. 19. & 20. and raised a
 Mound. Timbered Land & Prairie same.

East On Random between Secs. 17. & 20.
 40. 00 Set Temp. 1/4 Sec. post
 50. 20 Intersect N. & E. line at Post.
 Land, rolling rich. dry Prairie.

West Connected between Secs. 17. & 20.
 40. 10 Set a q^r Sec. post and raised a Mound.
 80. 20 To Sec. Corner.

West Between Secs. 18. & 19.
 40. 00 Set a 1/4 Sec. post in Prairie. From which a
 Burr Oak 18. in. diam. bears S. 89. W. 102. links dist.
 No other tree near.
 58. 00 Clear Prairie.
 74. 84. Intersect the West Boundary 7. links North of the Post.
 Set a Post Cor. of Secs. 18 & 19. From which a
 Burr Oak 10. in. diam. bears N. 19 1/2. E. 62 links dist. &
 To 15. " " " S. 54. E. 109. " "
 Land, very rich. Timber. & Prairie same.

North Between Secs. 17. & 18.
 40. 00 Set q^r Sec. post in Prairie. and raised a Mound.
 80. 00 Set a Post Cor. to Secs. 7. 8. 17. & 18. & raised a "
 in Prairie. Land level rich. dry Prairie.

T³ 8. N. B. 2. E. 2nd Mer. Ind.

East On Random between Sec. 8. & 7.

40.00 Set a temp^l $\frac{1}{4}$ Sec. post.

80 12. Intersect the N. & E. line 4. links S. of the Post.
Land & Prairie as before.

West Corrected between Sec. 8. & 7.

40.00 Set $\frac{1}{4}$ Sec. post and raised a Mound, in Prairie

80 12. See. Former

West Between Sec. 7 & 8.

15.00 Leave dry Prairie.

21.70 A double Burr Oak, each 14. in. diam.

40.00 Set a $\frac{1}{4}$ Sec. post. from which a
Burr Oak 14. in. diam. bears S. 80. E. $\frac{3}{4}$ links dist. &
Do. Do 15. " " " N. 39. W. 21. " "

54.77 A W. Oak 18. " "

73.42 Intersect the West Boundary 95. links N. of the Post.
Set Post Cor. to Sec. 7. 1187 from which a
Burr Oak 9. in. diam. bears S. 58 $\frac{2}{3}$. E. 87. links dist.
" Do. 15. " " " N. 54 $\frac{2}{3}$. E. 85. " "
Land 1st rate. Timber, W. & Burr Oak.

North Between Sec. 7 & 8.

40.00 Set a gp. Sec. post from which a
Burr Oak 9. in. diam. bears S. 80. W. 1. 21. links dist.
and a Do 15. " " " S. 54 $\frac{1}{2}$. W. 2. 26. " "

40.31 Intersect the State line 8. 99. links East of the Post. on
a Burr Oak 11. in. diam. The 1st on West side of
Postage Prairie on the 26th mile. Set a Post Cor. to
Sec. 7 & 8. from which a
Burr Oak 15. in. diam. bears S. 26 $\frac{1}{4}$. W. 4. 86. links
dist. Friday Evening June 26. 1829.

William Brookfield.

Dep^y Surveyor.

Meanders of St. Josephs River.

Beginning at Corn Town line on West side. in Sec 35. Thence.

Course	Dist.	
N. 17 $\frac{1}{2}$ E.	8.00	
N. 40. E.	5.00	
N. 63. E.	8.50.	
N. 61. E.	9.00.	
N. 53. E.	5.50.	
N. 20. E.	2.50.	
N. 52. E.	2.00.	
N. 113 $\frac{1}{2}$ E.	3.00.	
N. 23. E.	3.00.	
N. 52. E.	3.00.	
N. 22 $\frac{1}{2}$ E.	5.50.	
N. 2 E.	7.50.	
N. 47. W.	3.50.	
S. 78. W.	8.50.	
S. 56 $\frac{1}{2}$ W.	12.00.	
N. 84 $\frac{1}{2}$ W.	7.50.	
S. 75 W.	5.50.	
N. 58 $\frac{1}{2}$ W.	5.00.	
N. 16 $\frac{1}{2}$ W.	20.00	At 4 chains on this Course is a Brook 12 links wide N.E.
N. 43 $\frac{1}{2}$ W.	5.00.	
N. 57 $\frac{1}{2}$ W.	6.00.	
N. 15. W.	2.50.	
N. 1. W.	1.93.	To Meander Post between Sec. 26. & 35. Thence

N. 12. E.	6.00	In Sec. 26.
N. 41 E.	4.50.	
N. 72 $\frac{1}{2}$ E.	5.00	
N. 88 $\frac{1}{2}$ E.	3.50.	
S. 69. E.	4.00	
N. 84. E.	7.50.	
N. 53 $\frac{1}{2}$ E.	5.00	
N. 50 $\frac{1}{2}$ W.	5.00	
S. 86 $\frac{1}{2}$ W.	2.00.	

T 38. N. B. 2. E. 2nd Mer. Indian

S. 68. 47. 1. 50.

S. 84. 47. 5. 00.

S. 72. 47. 9. 00

N. 67. 47. 4. 50.

N. 70. 47. 16. 00.

N. 55. 47. 4. 00

N. 89. 47. 3. 45. To Meander Post between Sec 26. & 27. Thence

S. 72. 47. 11. 00.

In Sec. 27. At 4. 50. on this course is a
Brook 12. links wide. Crs. N. W.

S. 86. 47. 2. 50.

N. 45. 47. 6. 50.

N. 17. 47. 2. 50. This the Portage of the Hankakee on the West
Bank of the St Joseph.

N. 17. 47. 5. 50.

N. 33. 47. 5. 00.

N. 62. 47. 10. 00

N. 75. 47. 0. 00. At 5. 00. A Brook 10. links wide. Crs. East.

S. 64. 47. 00. 69. To Meander Post, between Sec. 26. & 27. Thence.

N. 78. 47. 2. 50.

In Sec. 26.

S. 87. 47. 7. 50.

N. 79. 47. 12. 50.

N. 43. 47. 6. 50.

N. 12. 47. 5. 00

N. 19. 47. 8. 50.

N. 35. 47. 1. 00.

N. 12. 47. 5. 00.

N. 25. 47. 10. 50.

N. 6. 47. 5. 11. To Meander Post between Sec. 26. & 27. Thence.

N. 18. 47. 5. 50.

In Sec. 25.

N. 19. 47. 3. 00

N. 17. 47. 21. 50.

N. 11. 47. 7. 50.

N. 46. 47. 5. 50

N. 39. W. 10.00.

N. 28. W. 5.00.

N. 43. W. 9.50

N. 24. W. 5.00.

N. 11. W. 11.50.

N. 11. E. 8.90. To Meander Post between Sec. 14. & 23. Thence

N. 6. E. 7.00. In Sec. 14.

N. 10. E. 5.50.

N. 6. W. 8.50.

N. 17. W. 7.00

N. 1. W. 4.00.

N. 61. E. 3.50.

N. 13. E. 7.50.

N. 8. E. 6.50.

N. 16. E. 5.50.

N. 13. E. 12.50.

N. 5. W. 8.50.

N. 14. W. 8.50.

N. 11. E. 2.93. To Meander Post between Sec. 11. & 14. Thence

N. 3. E. 10.00 In Sec. 11.

N. 14. E. 5.50.

N. 11. E. 13.00

N. 1. E. 8.00

N. 19. W. 11.00

N. 8. E. 2.40. To Meander Post on State line on the West side of the St. Josephs.

Meanders of the St. Josephs
Beginning at the Meander Post in Sec 11. on the
State Line East side, of the St. Josephs.

N. 3. E. 4.50.

N. 16. E. 2.50.

N. 31. E. 7.00

N. 16. E. 3.00. At 50. links is a Brook 8. links wide. Cor. West.

T. 38. N. B. 2. E. 2nd Mer. Ind.

S. 8. W. 2.00.

South 5.00

S. 10. W. 3.00.

S. 25. W. 1.00

S. 14. W. 7.50.

S. 9. W. 8.50.

S. 8. E. 11.81 To Meander Post Between Sec. 11. & 14. Thence

S. 27. W. 1.00 In Section 14.

S. 12. E. 2.00

South 8.00

S. 15. E. 10.50. At 11.50. is a Brook 7 links wide. Cor. S. W.

S. 25. W. 8.00

S. 4. W. 7.50.

S. 8. E. 15.00

S. 12. W. 3.50.

S. 21. W. 12.00.

S. 10. W. 5.50.

S. 4. E. 5.00.

S. 16. W. 8.19. To Meander Post Between Sec. 14. & 23. Thence

S. 3. W. 11.50. In Sec. 23.

S. 22. E. 5.50.

S. 32. E. 7.00

S. 44. E. 2.50.

S. 53. E. 3.00

S. 35. E. 9.50.

S. 40. E. 0.50.

S. 48. E. 4.50.

S. 20. E. 2.00

S. 12. E. 3.00.

S. 15. W. 4.50.

S. 1. W. 21.50. At 7.50. is a Brook 12 links wide. Cor. West.

S. 6. W. 1.00

S. 12. E. 8.50. To Meander Post Between Sec. 23. & 20.

Now Enter Sec 20.

T. S. R. 2. E. 2nd Mer. Indiana ²²⁷

J. 1. C. 8. 50. At 1. 50. is a Brook 8 links wide. Cont. St. W.
 J. 6. W. 6. 00.
 J. 1. W. 11. 50.
 J. 25. W. 12. 00.
 J. 57. W. 2. 50.
 J. 37. W. 4. 50.
 J. 72. W. 4. 50.
 J. 79. W. 6. 50.
 N. 86 $\frac{1}{2}$ W. 4. 50.
 J. 87. W. 11. 78. To Meander Post. Between Sec. 26. & 27. Thence,

J. 65. W. 1. 50. In Sec. 27.
 J. 70. W. 12. 00.
 J. 13. W. 2. 00
 J. 45. E. 1. 50.
 J. 71. E. 6. 00.
 N. 86. E. 7. 00.
 J. 71. E. 3. 89. To Meander Post between Sec. 26. & 27. Thence

N. 69. E. 1. 50. In Sec. 26 again.
 N. 89. E. 4. 50.
 J. 68. E. 19. 50.
 N. 72. E. 5. 50.
 N. 86. E. 8. 00.
 N. 72. E. 6. 50.
 J. 73 $\frac{1}{2}$ E. 3. 50.
 J. 76 $\frac{1}{2}$ E. 2. 50.
 J. 84. E. 3. 50.
 J. 49. E. 4. 00.
 J. 26 $\frac{1}{2}$ E. 6. 50.
 J. 17. W. 3. 50.
 J. 39. W. 7. 00
 J. 75. W. 8. 50.
 N. 67. W. 2. 50.
 N. 80. W. 1. 50.
 N. 54. W. 2. 00.

To S. B. J. C. 2nd Mer. Indiana,

A. 89. W. 4. 00.

A. 5. W. 14. 52. To Meander Post between Sec. 26. & 35.

A. 48. E. 1. 00

In Sec. 35.

A. 16. E. 2. 00

A. 43. E. 12. 50.

A. 52. E. 14. 50.

A. 1. E. 3. 00.

A. 24. W. 1. 50

A. 17. W. 2. 00.

A. 9. W. 14. 50.

A. 13. E. 14. 00.

A. 72. E. 5. 00.

A. 71. E. 24. 50.

A. 80. E. 6. 50.

A. 53. E. 2. 50. At 1. 50. A Brook 6. links wide. Cor. S. W.

A. 87. E. 3. 00.

A. 13. E. 2. 07. To Meander Post between Sec. 35. & 30. Thence,

A. 15. E. 3. 50.

In Sec. 30.

A. 4. E. 6. 00

A. 33. W. 2. 43. To Meander Post between Sec. 35. & 30.

A. 6. W. 5. 00

In Sec. 35. again.

A. 18. W. 6. 00.

A. 50. W. 3. 00

A. 50. W. 4. 50. At 4. 25. is a Brook 6. links wide. Cor. N. W.

A. 88. W. 3. 50.

A. 50. W. 2. 50.

A. 31. W. 11. 50.

A. 53. W. 11. 00

A. 30. W. 6. 33. To Meander Post on Iowa line

~~A. 57. E. 7. 40~~~~A. 63. E. 5. 50~~~~A. 23. E. 14. 00.~~

Meanders of a Lake in Sec. 30. Var. 5. 45. E.

Commencing at the N. E. Cor. of Sec. 30.

Course	Dist.	Thence in Sec. 30, To Lake.
S 55 1/2 W.	10.00	
N 74. W.	4.50.	
S. 81. W.	7.00.	
S. 81. W.	18.00.	
S. 10 1/2 W.	4.00.	
S. 15. E.	10.00	
S. 72 1/2 W.	4.00	
N. 81 1/2 W.	2.50.	
N. 33 1/2 W.	5.00.	
N. 85 W.	8.00.	
S. 75 1/2 W.	7.00.	
S. 67 W.	1.50.	To Outlet 8 links wide. Cont. W.
S. 43. E.	13.00	
S. 61. E.	17.00	
N. 33. E.	6.00	
N. 67 E	7.00	
N. 83 E.	5.50.	
N. 23 1/2 E	4.00	
N. 5. E.	4.50.	
N. 33 1/2 E.	5.50.	
N. 58 1/2 E.	2.50.	
N. 81. E	6.50.	
N. 2. E.	9.50	
N. 50 W	2 90.	To place of Beginning.

81.50' Nbr. to Outlet

T. 38. N. R. 2. E. 2nd Mer. Ind.

Pursuant To a Contract, dated the 8th of May 1829,
and instructions from Edward Tiffin, Surveyor General
of the United States. for the States of Ohio Indiana
and the Territory of Michigan, I have Surveyed
and Subdivided into Sections, Township N. 38.
North of Range N. 2. East of the 2nd Meridian
in the State of Indiana, and I Certify that the
foregoing are the Correct & true Field Notes of the
lines, which they purport to be as part of said
Contract.

Certified this 22^d day of Oct: 1829.

William Brookfield,
Deputy Surveyor.

I Certify that the foregoing transcript of the field notes
of Township N. 38. North of Range N. 2. East of the
2nd Mer. Indiana. has been compared with the
Original Notes in this Office and found to be
Correct.

Surveyor General's Office
Cincinnati. Oct 3^d 1842.

William Johnston
Svr. Genl.